




CERTIFICATE OF ANALYSIS

Name of Product : Chondroitin Sulfate
Lot Number : 411122
Specification No : 0201
Best-if-used-by : 11/25
Checking of raw material analysis certificates : Conforms
Presentation : Bottle of Capsules

| SAMPLE | SPECIFICATIONS | RESULTS |
|---|----------------------|----------------------|
| 1- Appearance | White Capsule | Positive |
| 2- Identification | Positive | Positive |
| 3-No. of caps/bottle | 90 | Conforms |
| 4- Weight of capsule | 650 mg. + - 5% | 655 mg (average) |
| 5-Empty capsule | '0' Veggie | Conforms |
| 6- Less than 95 per gram | | |
| Total plate count | <100,000 cfu/g | Conforms |
| Total yeast & mold | <10,000 cfu/g | Conforms |
| E. Coli | Negative | Negative |
| Salmonella | Negative | Negative |
| 7- Pesticides | Negative | Negative |
| 8- Chemical Analysis | | |
| Lead | 0.0 mg/kg | 0.0 |
| Arsenic | 0.0 mg/kg | 0.0 |
| Mercury | 0.0 mg/kg | 0.0 |
| 9- Time of Disintegration: in Simulated gastric Fluids USP <2040> | Less than 15 minutes | Less than 15 minutes |



Signature of Analyst

05/01/2023
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.