

# SuperSmart®

Customer: **SMART**  
**CERTIFICATE ANALYSIS PRODUCT FINISHED**  
Product: **IMMUNITY BOOSTER 60 CP** Code **LU1002**  
N°PNT Reference **MAPA LU1002** Batch/N°analysis: **2301 03 2026**

CONCEPT		RESULTS		
Presentation		60 tablets of Immunity Booster on Storages.		
Date Fabrication		MARCH 2023		
Analyses of samples		As documents in process		
Expire day		MARCH 2026		
Production order number		202.371		
Bottling order number		202.371		
Raw Material certificate inspection		Correct		
Bottling Material inspection		Correct		
Process certificates review		Correct		
	Analysis	Méthod	Specifications	Results
<b>Organoleptics Properties</b>	Aspect	Visual Control	Tablets.	Correct
	Odor	Olfactory Control	Characteristic.	Correct
	Taste	Taste Control	Characteristic.	Correct
	Colour	Visual Control	Beige.	Correct
<b>Physichal-chemical Parameters</b>	Average	Average	$\geq 1045 \leq 1155$ mg.	1122 mg
	Uniformity mass	F. Eur 3 <sup>a</sup> ed., 2.9.5.	$\geq 1045 \leq 1155$ mg.	1138 mg
	Hardness	FEE007	$\geq 4 \leq 10$	6 Kp
	Wet	FEE011 60°C 60 hPa 2h	$\leq 6$ %	4 %
	Friability	FEE025	$\leq 1$ %	0,4 %
Time dispersion	Water very hot	$\leq 8$ min.	4 min	
<b>Packaging</b>	Aspect Storage	Visual Control	White.	Correct
	N° tablets/storage	Visual Control	60	Correct
	N° Storages/Box	Visual Control	117	Correct
<b>Marking Label</b>	Batch/ Expire day	Control Visual	<b>2301 03 2026</b>	Correct
	Printer	Control Visual	<b>IMMUNITY BOOSTER</b>	Correct
<b>Quantities</b>	Ingredients mg./cp:	As specifications Customer.		
<b>Units per bottle</b>	126 Storages in a Box.			Correct
<b>Units</b>	Results: 1002 storages.			
<b>Preservation</b>	Dry place and To keep out of light			

Date: 13/03/2023